



Narrow-gauge shelving and shelf extenders prevent products from falling over

Designed specifically for seamless under-bench installation

Adjustable shelving for flexibility in display configuration

Side-mounted slide-out refrigeration maximises storage height and simplifies maintenance (selected models only)

Castors (front lockable) make movement and placement easy

Curved internal corners simplify food-safe cleaning (stainless range only)

Stainless steel self-closing doors minimise temperature loss

High-impact LED lighting maximises product visibility and captures attention

Precise Dixell digital temperature controller for accurate temperature maintenance

Bromic's Bar Chillers & Freezers have been designed specifically for installation under an industry-standard bench and are available in one- to four-door configurations.

29. Back Bar Display Chillers

Bromic's Back Bar Chillers are the perfect freestanding refrigerated display solution for those seeking versatility and reliability. High-impact LED lighting highlights products through this unit's hinged or sliding double-glazed safety glass doors while powerful fan-forced refrigeration enables rapid cooling.



31. Fan-Forced Underbench Display & Storage Chillers & Freezers

Bromic's Fan-Forced Underbench Chillers and Freezers are premium performers, developed specifically to withstand heavy use in the hospitality industry and to slot seamlessly underneath a industry-standard bench. Featuring powerful fan-forced cooling, these units are capable of storing sensitive stock, such as meat, dairy or fresh produce, alongside beverages while also utilising Gastronorm 1/1 sizing to offer versatility in high-volume applications.



33. Single Door Underbench Display & Storage Chillers & Freezers

Bromic's Single Door Underbench Chillers and Freezers offer versatile storage solutions across a wide temperature range. This unit's insulated stainless steel structure and Dixell digital temperature controller allow the refrigeration system to reliably cool practically any product while achieving exceptional energy efficiency.

Display Chiller:



Storage Chiller:




Storage Freezer:



35. Specification Reference Guide

Bar Chillers & Freezers

Back Bar Display Chillers (Hinged Door)



BB0120GD


Back Bar Display Chiller 118L (Hinged Door)

Part No.	Capacity	Weight	<ul style="list-style-type: none"> High-impact LED lighting maximises product visibility Double-glazed safety glass increases efficiency while reducing condensation 2 adjustable shelves per door + base for optimal product display Temperature range: +1°C to +10°C
3736063	118L	58kg	
External (mm)		Internal (mm)	
Height	870	820	
Width	555	520	
Depth	520	385	

FF

Bar Chillers & Freezers

Back Bar Display Chillers (Sliding Door)




BB0200GDS

Back Bar Display Chiller 190L (Sliding Door)

Part No.	Capacity	Weight	<ul style="list-style-type: none"> High-impact LED lighting maximises product visibility Double-glazed safety glass increases efficiency while reducing condensation 2 adjustable shelves per door + base for optimal product display Temperature range: +1°C to +10°C
3736058	190L	72kg	
External (mm)		Internal (mm)	
Height	870	820	
Width	865	820	
Depth	520	385	

FF




BB0200GD

Back Bar Display Chiller 190L (Hinged Door)

Part No.	Capacity	Weight	<ul style="list-style-type: none"> High-impact LED lighting maximises product visibility Double-glazed safety glass increases efficiency while reducing condensation 2 adjustable shelves per door + base for optimal product display Temperature range: +1°C to +10°C
3736064	190L	72kg	
External (mm)		Internal (mm)	
Height	870	820	
Width	865	820	
Depth	520	385	

FF




BB0330GDS

Back Bar Display Chiller 307L (Sliding Door)

Part No.	Capacity	Weight	<ul style="list-style-type: none"> High-impact LED lighting maximises product visibility Double-glazed safety glass increases efficiency while reducing condensation 2 adjustable shelves per door + base for optimal product display Temperature range: +1°C to +10°C
3736059	307L	90kg	
External (mm)		Internal (mm)	
Height	870	820	
Width	1350	1270	
Depth	520	385	

FF



BB0330GD

Back Bar Display Chiller 307L (Hinged Door)

Part No.	Capacity	Weight	<ul style="list-style-type: none"> High-impact LED lighting maximises product visibility Double-glazed safety glass increases efficiency while reducing condensation 2 adjustable shelves per door + base for optimal product display Temperature range: +1°C to +10°C
3736065	307L	90kg	
External (mm)		Internal (mm)	
Height	870	820	
Width	1350	1270	
Depth	520	385	

FF

Bar Chillers & Freezers 29


Bar Chillers & Freezers 30

Bar Chillers & Freezers

Underbench Display Chillers

Bar Chillers & Freezers

Underbench Storage Chillers



UBC1360GD

Underbench Display Chiller 282L LED


Part No.	Capacity	Weight
3735213	282L	113kg

	External (mm)	Internal (mm)
Height	860	589
Width	1360	902
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC1360SD

Underbench Storage Chiller 282L LED


Part No.	Capacity	Weight
3735204	282L	113kg

	External (mm)	Internal (mm)
Height	860	589
Width	1360	902
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC1795GD

Underbench Display Chiller 417L LED


Part No.	Capacity	Weight
3735211	417L	151kg

	External (mm)	Internal (mm)
Height	860	589
Width	1795	1337
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC1795SD

Underbench Storage Chiller 417L LED


Part No.	Capacity	Weight
3735206	417L	151kg

	External (mm)	Internal (mm)
Height	860	589
Width	1795	1337
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC2230GD

Underbench Display Chiller 553L LED


Part No.	Capacity	Weight
3735212	553L	173kg

	External (mm)	Internal (mm)
Height	860	589
Width	2230	1772
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF



UBC2230SD

Underbench Storage Chiller 553L LED

Part No.	Capacity	Weight
3735209	553L	173kg

	External (mm)	Internal (mm)
Height	860	589
Width	2230	1772
Depth	700	530


- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: +2°C to +8°C



FF

Bar Chillers & Freezers

Display & Storage Underbench Chillers & Freezers



UBCO140GD

Underbench Display Chiller 145L


Part No.	Capacity	Weight
3736212	145L	38kg

	External (mm)	Internal (mm)
Height	820	680
Width	595	490
Depth	595	400

- Easily stackable with other Bromic single door units
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves + base
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C



FF



UBCO140SD

Underbench Storage Chiller 145L


Part No.	Capacity	Weight
3736208	145L	38kg

	External (mm)	Internal (mm)
Height	820	680
Width	595	490
Depth	595	400

- Easily stackable with other Bromic single door units
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C



FF



UBFO140SD

Underbench Storage Freezer 115L

Part No.	Capacity	Weight
3736209	115L	38kg

	External (mm)	Internal (mm)
Height	820	680
Width	595	490
Depth	595	400


- Easily stackable with other Bromic single door units
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 baskets with static cooling inbetween
- Stainless steel top and door frame
- Temperature range: -24°C to -16°C



FF

Bar Chillers & Freezers

Underbench Storage Freezers



UBF1360SD

Underbench Storage Freezer 282L LED


Part No.	Capacity	Weight
3736230	282L	113kg

	External (mm)	Internal (mm)
Height	860	589
Width	1360	902
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C



FF



UBF1795SD

Underbench Storage Freezer 417L LED


Part No.	Capacity	Weight
3736231	417L	151kg

	External (mm)	Internal (mm)
Height	860	589
Width	1795	1337
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C



FF



UBF2230SD

Underbench Storage Freezer 553L LED

Part No.	Capacity	Weight
3736232	553L	173kg

	External (mm)	Internal (mm)
Height	860	589
Width	2230	1772
Depth	700	530

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow-gauge shelving and shelf extenders prevent products from falling over
- Temperature range: -22°C to -18°C



FF

Bar Chillers & Freezers

Specification Reference Guide

Model	BB0120GD	BB0200GD	BB0330GD	BB0200GDS	BB0330GDS	UBC1360GD	UBC1795GD
Part Number	3736063	3736064	3736065	3736058	3736059	3735213	3735211
Ext. Height (mm)*	870	870	870	870	870	860	860
Ext. Width (mm)*	555	865	1350	865	1350	1360	1795
Ext. Depth (mm)*	520	520	520	520	520	700	700
Capacity	118L	190L	307L	190L	307L	282L	417L
Temp. Range	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C	+2 to +8°C	+2 to +8°C
Max. Ambient Temp.	38°C	38°C	38°C	38°C	38°C	32°C	32°C
Refrigeration Power	180W	230W	265W	230W	265W	300W	320W
Current	1A	1.5A	1.56A	1.5A	1.56A	2.2A	2.5A
Gross Weight	58kg	72kg	90kg	72kg	90kg	90g	108kg
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a	R134a
Plug Supplied	1	1	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A	10A	10A
Features							
Chiller Case	✓	✓	✓	✓	✓	✓	✓
Freezer Case							
Main Light	LED	LED	LED	LED	LED	LED	LED
Number of Doors	1	2	3	2	3	2	3
Door Type	Hinged	Hinged	Hinged	Sliding	Sliding	Hinged	Hinged
Safety Glass	✓	✓	✓	✓	✓	✓	✓
Door Lock	✓	✓	✓				
Temp. Controller	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Feet / Castors	✓	✓	✓	✓	✓	✓	✓
No. of Shelves Incl. Base	3	3	3	3	3	3	3
Narrow-Gauge Shelving	✓	✓	✓	✓	✓	✓	✓
Colour	Black	Black	Black	Black	Black	Stainless Steel	Stainless Steel
Warranty							
Parts (Years)	1	1	1	1	1	1	1
Labour (Years)	1	1	1	1	1	1	1

Bar Chillers & Freezers

Specification Reference Guide

UBC2230GD	UBC1360SD	UBC1795SD	UBC2230SD	UBC0140GD	UBC0140SD	UBF0140SD	UBF1360SD	UBF1795SD	UBF2230SD
3735212	3735204	3735206	3735209	3736212	3736208	3736209	3735203	3735223	3735224
860	860	860	860	820	820	820	860	860	860
2230	1360	1795	2230	595	595	595	1360	1795	2230
700	700	700	700	595	595	595	700	700	700
553L	282L	417L	553L	145L	145L	115L	282L	417L	553L
+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C	+1 to +10°C	+1 to +10°C	-24 to -16°C	-22 to -18°C	-22 to -18°C	-22 to -18°C
32°C	38°C	38°C	38°C	32°C	32°C	32°C	32°C	32°C	32°C
340W	300W	320W	340W	150W	150W	130W	770W	770W	770W
2.8A	2.2A	2.5A	2.8A	1.2A	1.2A	1.1A	5A	5A	5A
133kg	93kg	122kg	148kg	38kg	38kg	38kg	98kg	134kg	153kg
R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a
1	1	1	1	1	1	1	1	1	1
10A	10A	10A	10A	10A	10A	10A	10A	10A	10A
Features									
✓	✓	✓	✓	✓	✓				
							✓	✓	✓
LED				LED					
4	2	3	4	1	1	1	2	3	4
Hinged	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged
✓				✓					
				✓	✓	✓			
Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	3	3	3	3	3	3 Baskets	3	3	3
✓	✓	✓	✓	✓	✓		✓	✓	✓
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Warranty									
1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1

*Dimensions exclude lightbox & handle protrusions

*Dimensions exclude lightbox & handle protrusions